

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|---|---|------------------|---------|---------------------|
| L2    | 3    | (wait\$4 or delay\$4) with (user interface) with (updat\$4) with content with display \$4   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR             | ON      | 2011/07/15<br>09:14 |
| L3    | 99   | (US-20080282142-\$ or US-20070266316-\$ or US-20080037452-\$ or US-20070288856-\$ or US-20070300217-\$ or US-20070283280-\$ or US-20030236917-\$ or US-20020078143-\$ or US-20030027592-\$ or US-20030013483-\$ or US-20020196266-\$ or US-20020151327-\$ or US-20020137502-\$ or US-20020109718-\$ or US-20020041292-\$ or US-20080153468-\$ or US-20050277432-\$ or US-20050228871-\$ or US-20050216850-\$ or US-20050108657-\$ or US-20050057560-\$ or US-20040261031-\$ or US-20040075693-\$ or US-20040034853-\$ or US-20030182626-\$ or US-20030158969-\$).did. or (US-20030120667-\$ or US-20030084121-\$ or US-20080026776-\$ or US-20070266141-\$ or US-20050193380-\$ or US-20040148586-\$ or US-20060271845-\$ or US-20040198434-\$ or US-20050096968-\$ or US-20050076305-\$ or US-20020026471-\$ or US-20050021935-\$ or US-20040117439-\$ or US-20040061713-\$ or US-20040046789-\$ or US-20040216054-\$ or US-20050114774-\$ or US-20040100490-\$ or US- | US-PGPUB;<br>USPAT; EPO;<br>DERWENT                           | NEAR             | ON      | 2011/07/15<br>09:16 |

|     |      |   |   |      |    |                     |
|-----|------|---|---|------|----|---------------------|
|     |      | 20040046787-\$ or US-20060265662-\$ or US-20020188619-\$).did. or (US-7441047-\$ or US-6470381-\$ or US-7496645-\$ or US-7480869-\$ or US-7113981-\$ or US-7010758-\$ or US-6993362-\$ or US-6973457-\$ or US-6954652-\$ or US-6850255-\$ or US-6763382-\$ or US-6392640-\$ or US-6300947-\$ or US-7275243-\$ or US-7412658-\$ or US-7636895-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-7908595-\$ or US-5481665-\$ or US-7500198-\$ or US-5905492-\$ or US-6091411-\$ or US-7610406-\$ or US-7472350-\$).did. or (US-7219305-\$ or US-6901441-\$ or US-6791587-\$ or US-6717593-\$ or US-6731310-\$ or US-6996800-\$).did. or (GB-2293951-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or GB-2393089-\$ or WO-3067465-\$ or WO-2097660-\$).did. or (GB-2411331-\$ or WO-03067427-\$ or WO-02093877-\$ or WO-03067527-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or WO-0155889-\$ or WO-0161508-\$ or WO-0195041-\$ or WO-03077140-\$ or DE-19534789-\$ or EP-1569096-\$).did. |   |      |    |                     |
| L6  | 1    | 3 and (wait\$4 or delay\$4 or postpon\$4) with (user interface) with (updat\$4)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:22 |
| L9  | 3705 | (3-Tier web application) or MVC or (model view controller) or (model-view-controller)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:24 |
| L13 | 62   | (wait\$4 or delay\$4 or postpon\$4) with (user interface) with (updat\$4) with (display\$4 or view\$4)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:28 |

|     |     |   |   |      |    |                     |
|-----|-----|---|---|------|----|---------------------|
| L14 | 27  | 13 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:28 |
| L15 | 25  | (delay\$4 or postpon\$4) with (user interface) with (updat\$4) with (display\$4 or view\$4)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:29 |
| L18 | 116 | (delay\$4 or postpon\$4 or wait\$4) with ((user interface) or GUI) with (updat\$4 or refresh\$4) with (display\$4 or view\$4)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:48 |
| L20 | 283 | (wait\$4 or delay\$4 or postpon\$4) with ((user interface) or GUI) with (updat\$4 or refresh\$4)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:49 |
| L21 | 1   | 20 and 9  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:49 |
| L22 | 2   | 20 and 3  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>09:50 |
| L23 | 3   | ("2002/0188619").URPN.  | USPAT   | NEAR | ON | 2011/07/15<br>10:26 |
| L24 | 38  | ((3-Tier web application) or MVC or (model view controller) or (model-view-controller)) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:43 |
| L25 | 0   | 24 and 18   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:44 |
| L26 | 19  | 24 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:44 |

|     |     |   |   |      |    |                     |
|-----|-----|---|---|------|----|---------------------|
| L27 | 11  | "10007037"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:50 |
| L28 | 0   | java near3 micro near3<br>edition same mvc  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:57 |
| L29 | 24  | java near3 micro near3<br>edition and ((3-Tier web<br>application) or MVC or<br>(model view controller) or<br>(model-view-controller))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:57 |
| L30 | 15  | 29 and (@pd< "20040219" or<br>@ad< "20040219" or<br>@prad< "20040219" or<br>@rlad< "20040219")  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:58 |
| L31 | 14  | java near3 micro near3<br>edition and ((3-Tier web<br>application) or MVC or<br>(model view controller) or<br>(model-view-controller)) and<br>updat\$4 with (gui or<br>interface) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:59 |
| L32 | 10  | 31 and (@pd< "20040219" or<br>@ad< "20040219" or<br>@prad< "20040219" or<br>@rlad< "20040219")  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>10:59 |
| L33 | 230 | (BREW UI Toolkit) or (BUILT)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>11:04 |
| L34 | 209 | 33 and (@pd< "20040219" or<br>@ad< "20040219" or<br>@prad< "20040219" or<br>@rlad< "20040219")  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>11:04 |
| L35 | 2   | ((BREW UI Toolkit) or<br>(BUILT)) and actor   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>11:09 |
| L36 | 7   | 31 and (@pd< "20040219" or<br>@ad< "20040219" or<br>@prad< "20040219" or<br>@rlad< "20040219") and<br>event   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>11:52 |

|     |     |  |   |      |    |                     |
|-----|-----|--|---|------|----|---------------------|
| L37 | 4   | "10754782"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>11:53 |
| L38 | 107 | (US-20080282142-\$ or US-<br>20070266316-\$ or US-<br>20080037452-\$ or US-<br>20070288856-\$ or US-<br>20070300217-\$ or US-<br>20070283280-\$ or US-<br>20030236917-\$ or US-<br>20020078143-\$ or US-<br>20030027592-\$ or US-<br>20030013483-\$ or US-<br>20020196266-\$ or US-<br>20020151327-\$ or US-<br>20020137502-\$ or US-<br>20020109718-\$ or US-<br>20020041292-\$ or US-<br>20080153468-\$ or US-<br>20050277432-\$ or US-<br>20050228871-\$ or US-<br>20050216850-\$ or US-<br>20050108657-\$ or US-<br>20050057560-\$ or US-<br>20040261031-\$ or US-<br>20040075693-\$ or US-<br>20040034853-\$ or US-<br>20030182626-\$ or US-<br>20030158969-\$).did. or (US-<br>20030120667-\$ or US-<br>20030084121-\$ or US-<br>20080026776-\$ or US-<br>20070266141-\$ or US-<br>20050193380-\$ or US-<br>20040148586-\$ or US-<br>20060271845-\$ or US-<br>20040198434-\$ or US-<br>20050096968-\$ or US-<br>20050076305-\$ or US-<br>20020026471-\$ or US-<br>20050021935-\$ or US-<br>20040117439-\$ or US-<br>20040061713-\$ or US-<br>20040046789-\$ or US-<br>20040216054-\$ or US-<br>20050114774-\$ or US-<br>20040100490-\$ or US-<br>20040046787-\$ or US-<br>20060265662-\$ or US-<br>20020188619-\$ or US-<br>20050273759-\$ or US-<br>20030200254-\$ or US-<br>20040205068-\$ or US-<br>20040199430-\$).did. or (US-<br>7441047-\$ or US-6470381-\$ | US-PGPUB;<br>USPAT; EPO;<br>DERWENT                           | NEAR | ON | 2011/07/15<br>12:23 |

|     |    |   |   |      |    |                     |
|-----|----|---|---|------|----|---------------------|
|     |    | or US-7496645-\$ or US-7480869-\$ or US-7113981-\$ or US-7010758-\$ or US-6993362-\$ or US-6973457-\$ or US-6954652-\$ or US-6850255-\$ or US-6763382-\$ or US-6392640-\$ or US-6300947-\$ or US-7275243-\$ or US-7412658-\$ or US-7636895-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-7908595-\$ or US-5481665-\$ or US-7500198-\$ or US-5905492-\$ or US-6091411-\$ or US-7610406-\$ or US-7472350-\$).<br>did. or (US-7219305-\$ or US-6901441-\$ or US-6791587-\$ or US-6717593-\$ or US-6731310-\$ or US-6996800-\$ or US-7900186-\$ or US-7596791-\$ or US-7536323-\$).<br>did. or (GB-2293951-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or GB-2393089-\$ or WO-3067465-\$ or WO-2097660-\$).<br>did. or (GB-2411331-\$ or WO-03067427-\$ or WO-02093877-\$ or WO-03067527-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or WO-0155889-\$ or WO-0161508-\$ or WO-0195041-\$ or WO-03077140-\$ or DE-19534789-\$ or EP-1569096-\$ or US-20050273759-\$).<br>did. |   |      |    |                     |
| L41 | 6  | (user interface) with (mobile device) same (file) with (extend or alter)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>13:32 |
| L42 | 23 | updat\$4 with (interface) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows \$4 )) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) same (extend or alter)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>13:36 |

|     |     |   |   |      |    |                     |
|-----|-----|---|---|------|----|---------------------|
| L43 | 96  | (updat\$4 with (interface) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))).ti.                                | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>13:37 |
| L44 | 237 | (updat\$4 with (interface) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))).ab.                                | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>13:37 |
| L45 | 0   | updat\$4 with (user interface) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) with attribute with instruction | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>15:38 |
| L46 | 0   | updat\$4 with (user interface) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) adn attribute with instruction  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>15:38 |
| L47 | 8   | updat\$4 with (user interface) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) and attribute with instruction  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>15:38 |

|     |     |   |   |      |    |                     |
|-----|-----|---|---|------|----|---------------------|
| L48 | 533 | updat\$4 with (user interface) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>15:41 |
| L49 | 28  | (updat\$4 with (user interface) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))).ti.                                    | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>15:41 |
| L50 | 24  | (updat\$4 with (operating system) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))).ti.                                  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>15:48 |
| L51 | 41  | (updat\$4 with (operating system) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))) same interface                       | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>15:48 |
| L52 | 1   | (updat\$4 with (operating system) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))) same interface and (widget or actor) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>15:48 |



|     |     |   |   |      |    |                  |
|-----|-----|---|---|------|----|------------------|
| L54 | 32  | (delay\$4 or postpon\$4) near4 (user interface) near4 (updat\$4) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))             | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/07/15 16:03 |
| L56 | 22  | 54 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219")   | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/07/15 16:04 |
| L59 | 107 | (delay\$4 or postpon\$4) near3 ((user interface) or system) near3 (updat\$4) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/07/15 16:06 |
| L62 | 40  | 59 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219") not parry. in.  | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/07/15 16:11 |
| L65 | 29  | (delay\$4 or postpon\$4) near3 (interface) near3 (updat\$4) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone))                  | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/07/15 16:30 |
| L66 | 5   | 65 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219") not parry. in.  | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/07/15 16:30 |
| L67 | 36  | 59 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219") not parry. in. not smirnov.in.  | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/07/15 16:31 |

|     |     |   |   |      |    |                     |
|-----|-----|---|---|------|----|---------------------|
| L74 | 134 | (interface or gui).ti. and (delay\$4 or postpon\$4) near3 (updat\$4)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>16:38 |
| L75 | 42  | (interface or gui).ti. and (delay\$4 or postpon\$4) near3 (updat\$4) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or wireless) (phone or telephone or device or terminal or network or brows\$4 )) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>16:38 |
| L76 | 22  | 75 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219") not parry. in. not smirnov.in.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>16:39 |
| L77 | 13  | OnLostFocus   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/15<br>16:41 |
| S1  | 1   | "10598163"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/23<br>17:15 |
| S2  | 1   | "10/598163"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/23<br>17:15 |
| S3  | 1   | PCT/GB2005/000627   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/23<br>17:16 |
| S4  | 6   | "0403709.9"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/23<br>17:16 |
| S5  | 4   | "2005081131"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/23<br>17:17 |

|     |    |   |   |      |    |                     |
|-----|----|---|---|------|----|---------------------|
| S7  | 1  | "10598171"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/23<br>17:18 |
| S8  | 50 | (US-20080282142-\$ or US-<br>20030101085-\$ or US-<br>20090023120-\$ or US-<br>20030011578-\$ or US-<br>20040093616-\$ or US-<br>20040148586-\$ or US-<br>20040234250-\$ or US-<br>20050050022-\$ or US-<br>20060156967-\$ or US-<br>20070038500-\$ or US-<br>20070112859-\$ or US-<br>20070266097-\$ or US-<br>20080033735-\$ or US-<br>20080066100-\$ or US-<br>20080082376-\$ or US-<br>20090013350-\$ or US-<br>20090094529-\$ or US-<br>20090171714-\$ or US-<br>20100050152-\$ or US-<br>20100141663-\$ or US-<br>20100185712-\$ or US-<br>20100223109-\$).did. or (US-<br>7154056-\$ or US-7318006-\$<br>or US-7412658-\$ or US-<br>7506350-\$ or US-7577974-\$<br>or US-7743369-\$ or US-<br>7773979-\$ or US-7788315-\$<br>or US-7810119-\$ or US-<br>7844589-\$ or US-7865927-\$<br>or US-5832532-\$ or US-<br>5978696-\$ or US-6088718-\$<br>or US-6529215-\$ or US-<br>6717593-\$ or US-6757849-\$<br>or US-6791587-\$ or US-<br>6916273-\$ or US-7117446-\$<br>or US-7191410-\$ or US-<br>7219305-\$ or US-7237198-\$<br>or US-7281200-\$ or US-<br>7308489-\$ or US-7381153-\$).<br>did. or (US-7389361-\$ or US-<br>7409710-\$).did. | US-PGPUB;<br>USPAT  | NEAR | ON | 2011/03/23<br>17:25 |
| S14 | 3  | "20030236917"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/23<br>17:38 |
| S16 | 4  | "03067427"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/23<br>17:39 |

|     |    |  |   |      |    |                     |
|-----|----|--|---|------|----|---------------------|
| S17 | 3  | "02093877"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/23<br>17:39 |
| S18 | 2  | "20020078143"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/23<br>17:43 |
| S20 | 30 | US-20030084121-\$.DID. OR<br>US-20030120667-\$.DID. OR<br>US-20030158969-\$.DID. OR<br>US-20030182626-\$.DID. OR<br>US-20040034853-\$.DID. OR<br>US-20040075693-\$.DID. OR<br>US-20040177063-\$.DID. OR<br>US-20040261031-\$.DID. OR<br>US-20050057560-\$.DID. OR<br>US-20050108657-\$.DID. OR<br>US-20050216850-\$.DID. OR<br>US-20050228871-\$.DID. OR<br>US-20050277432-\$.DID. OR<br>US-20070288856-\$.DID. OR<br>US-20080153468-\$.DID.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/24<br>08:54 |
| S21 | 36 | US-6300947-\$.DID. OR US-<br>6392640-\$.DID. OR US-<br>6763382-\$.DID. OR US-<br>6850255-\$.DID. OR US-<br>6954652-\$.DID. OR US-<br>6973457-\$.DID. OR US-<br>6993362-\$.DID. OR US-<br>7010758-\$.DID. OR US-<br>7113981-\$.DID. OR US-<br>7480869-\$.DID. OR US-<br>7496645-\$.DID. OR US-<br>20020041292-\$.DID. OR US-<br>20020109718-\$.DID. OR US-<br>20020137502-\$.DID. OR US-<br>20020151327-\$.DID. OR US-<br>20020196266-\$.DID. OR US-<br>20030013483-\$.DID. OR US-<br>20030027592-\$.DID. | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/24<br>09:00 |
| S22 | 13 | EP-1052598-\$.DID. OR EP-<br>1193590-\$.DID. OR EP-<br>1369842-\$.DID. OR GB-<br>2293951-\$.DID. OR WO-<br>01042909-\$.DID. OR WO-<br>0155889-\$.DID. OR WO-<br>0161508-\$.DID. OR WO-<br>0195041-\$.DID. OR WO-<br>03067427-\$.DID. OR WO-<br>03077140-\$.DID.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/24<br>09:00 |

|     |      |   |   |      |    |                     |
|-----|------|---|---|------|----|---------------------|
| S23 | 2    | "6470381".pn.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/24<br>09:04 |
| S26 | 3    | "03067527"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/24<br>09:05 |
| S27 | 0    | WO-01042909-\$.DID.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/24<br>09:09 |
| S37 | 8213 | (XML or ((mark-up or mark<br>\$1up or (mark up))<br>language)) with user near3<br>interface   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>14:55 |
| S38 | 353  | (XML or ((mark-up or mark<br>\$1up or (mark up))<br>language)) with user near3<br>interface with (cell\$5phone or<br>cell\$4phone or ((mobile or cell<br>\$4 or portable or brows\$4)<br>(phone or telephone or<br>device)) or pda or (personal<br>digita assistant) or smart<br>\$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>14:55 |
| S39 | 106  | xui   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>14:57 |
| S42 | 383  | xui or (xml ui) or (xml user<br>interface)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>14:59 |
| S44 | 4    | (xui or (xml ui) or (xml user<br>interface)) with (cell\$5phone<br>or cell\$4phone or ((mobile or<br>cell\$4 or portable or brows<br>\$4) (phone or telephone or<br>device)) or pda or (personal<br>digita assistant) or smart<br>\$1phone or (smart phone))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>15:00 |

|     |    |  |   |      |    |                     |
|-----|----|--|---|------|----|---------------------|
| S45 | 5  | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML ) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))     | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:02 |
| S46 | 23 | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML ) same (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))     | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:03 |
| S47 | 25 | S42 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:04 |
| S48 | 8  | S38 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:04 |
| S49 | 0  | S46 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:05 |
| S50 | 14 | ((XML or ((mark-up or mark \$1up or (mark up) language)) with user near3 interface with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or sart \$1phone or (smart phone))). ab. | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:26 |
| S51 | 2  | "10787948"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:37 |

|     |     |  |   |      |    |                     |
|-----|-----|--|---|------|----|---------------------|
| S52 | 2   | "20050193380"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:38 |
| S53 | 2   | "6850255".pn.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:52 |
| S55 | 2   | "6300947".pn.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:52 |
| S56 | 2   | "6973457".pn.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:55 |
| S57 | 2   | "6763382".pn.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>15:55 |
| S59 | 0   | (gui or (user interface)) with<br>((actor pattern) or (active<br>object pattern))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:01 |
| S60 | 463 | (gui or (user interface)) with<br>actor  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:01 |
| S61 | 202 | xui or (xml ui) or (xml user<br>interface) and actor   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:02 |
| S62 | 0   | (xui or (xml ui) or (xml user<br>interface) or (User Interface<br>Markup Language) UIML )<br>with (cell\$5phone or cell<br>\$4phone or ((mobile or cell\$4<br>or portable or brows\$4)<br>(phone or telephone or<br>device)) or pda or (personal<br>digita assistant) or smart<br>\$1phone or (smart phone))<br>with actor | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:02 |

|     |     |  |   |      |    |                  |
|-----|-----|--|---|------|----|------------------|
| S63 | 0   | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML ) with (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor                                    | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/03/25 16:03 |
| S64 | 19  | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) UIML ) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor                                     | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/03/25 16:03 |
| S66 | 3   | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML ) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor with element                     | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/03/25 16:07 |
| S67 | 250 | ((user interface) or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML ) and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor with element | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2011/03/25 16:13 |



|     |    |   |   |      |    |                     |
|-----|----|---|---|------|----|---------------------|
| S68 | 13 | ((user interface) or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) with actor with element and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digital assistant) or smart\$1phone or (smart phone))   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:14 |
| S70 | 1  | ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) with actor with element with attribute with render   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:25 |
| S71 | 3  | ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) same actor same element same attribute same render   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:25 |
| S72 | 28 | ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) same actor same element same attribute   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:28 |
| S73 | 69 | (US-20080282142-\$ or US-20070266316-\$ or US-20080037452-\$ or US-20070288856-\$ or US-20070300217-\$ or US-20070283280-\$ or US-20030236917-\$ or US-20020078143-\$ or US-20030027592-\$ or US-20030013483-\$ or US-20020196266-\$ or US-20020151327-\$ or US-20020137502-\$ or US-20020109718-\$ or US-20020041292-\$ or US-20080153468-\$ or US-20050277432-\$ or US-20050228871-\$ or US-20050216850-\$ or US-20050108657-\$ or US-20050057560-\$ or US-20040261031-\$ or US-20040177063-\$ or US-20040075693-\$ or US-20040034853-\$ or US-20030182626-\$).did. or (US- | US-PGPUB;<br>USPAT; EPO;<br>DERWENT                           | NEAR | ON | 2011/03/25<br>16:50 |

|     |    |  |   |      |    |                     |
|-----|----|--|---|------|----|---------------------|
|     |    | 20030158969-\$ or US-20030120667-\$ or US-20030084121-\$ or US-20080026776-\$ or US-20070266141-\$ or US-20050193380-\$ or US-20040148586-\$).did. or (US-7441047-\$ or US-6470381-\$ or US-7496645-\$ or US-7480869-\$ or US-7113981-\$ or US-7010758-\$ or US-6993362-\$ or US-6973457-\$ or US-6954652-\$ or US-6850255-\$ or US-6763382-\$ or US-6392640-\$ or US-6300947-\$ or US-7275243-\$ or US-7412658-\$ or US-7636895-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$).did. or (GB-2293951-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$).did. or (GB-2411331-\$ or WO-03067427-\$ or WO-02093877-\$ or WO-03067527-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or WO-0155889-\$ or WO-0161508-\$ or WO-0195041-\$ or WO-03077140-\$ or DE-19534789-\$ or EP-1569096-\$).did. |   |      |    |                     |
| S74 | 6  | S73 and (QUALCOMM.as. or butlin.in.)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:51 |
| S75 | 12 | S73 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>16:52 |
| S76 | 9  | S73 and actor with element   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>16:52 |
| S77 | 4  | S73 and actor with element and update\$4 with (interface or attribute) and format\$4 with (interface or attribute)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>16:52 |

|     |    |  |   |      |    |                     |
|-----|----|--|---|------|----|---------------------|
| S78 | 6  | S73 and update\$4 with (interface or attribute) and format\$4 with (interface or attribute) and update\$4 with manag\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:52 |
| S79 | 0  | S73 and S39  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:52 |
| S80 | 10 | S73 and S38  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:52 |
| S81 | 3  | S73 and S42  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:53 |
| S82 | 14 | S73 and actor  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:53 |
| S83 | 3  | S73 and (move or relocat\$4 or re-colcat\$4) with (actor or element)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:53 |
| S84 | 3  | S73 and (move or relocat\$4 or re-colcat\$4) with (actor or element or updat\$4)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>16:58 |
| S85 | 13 | S73 and (position or location) with (actor or element)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:00 |
| S86 | 36 | S73 and (position or location) with (actor or element or control or widget or icon or menu or container or box or window or button)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:07 |
| S87 | 11 | S73 and (cell\$5phone or cell \$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) and actor | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:07 |

|     |    |   |   |      |    |                     |
|-----|----|---|---|------|----|---------------------|
| S88 | 94 | actor with (element or control or widget or icon or menu or container or box or window or button) with ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML)                                     | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:14 |
| S89 | 92 | actor with (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML).<br>ti.                              | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:15 |
| S90 | 38 | actor with (element or control or widget or icon or menu or container or box or window or button) with ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) and render\$4                       | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:16 |
| S91 | 2  | actor with (element or control or widget or icon or menu or container or box or window or button) with attribute with ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) and render\$4        | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:17 |
| S92 | 63 | actor with (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML).<br>ti. and render\$4                | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:17 |
| S93 | 3  | actor with (element or control or widget or icon or menu or container or box or window or button) with attribute and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML).<br>ti. and render\$4 | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:17 |

|      |    |   |   |      |    |                     |
|------|----|---|---|------|----|---------------------|
| S94  | 2  | "11421382"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:28 |
| S95  | 3  | "20030110470"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:30 |
| S97  | 6  | (data near3 file) with (extend<br>\$4 or alter\$4) with (user<br>interface) with (mobile<br>device)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:36 |
| S98  | 7  | (data near3 file) with (extend<br>\$4 or alter\$4) same (user<br>interface) with (cell\$5phone<br>or cell\$4phone or ((mobile or<br>cell\$4 or portable or brows<br>\$4) (phone or telephone or<br>device)) or pda or (personal<br>digita assistant) or smart<br>\$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:38 |
| S100 | 50 | (data or file) with (extend\$4<br>or alter\$4) with (user<br>interface) with (cell\$5phone<br>or cell\$4phone or ((mobile or<br>cell\$4 or portable or brows<br>\$4) (phone or telephone or<br>device)) or pda or (personal<br>digita assistant) or smart<br>\$1phone or (smart phone))     | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>17:39 |
| S101 | 9  | actor with render\$4 with<br>(element or control or widget<br>or icon or menu or container<br>or box or window or button)<br>and ((user interface) or GUI<br>or xui or (xml ui) or (xml user<br>interface) or (User Interface<br>Markup Language) or UIML).<br>ti.                          | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>19:07 |
| S102 | 0  | actor with render\$4 with<br>attribute (element or control<br>or widget or icon or menu or<br>container or box or window<br>or button) and ((user<br>interface) or GUI or xui or<br>(xml ui) or (xml user<br>interface) or (User Interface<br>Markup Language) or UIML).<br>ti.             | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>19:08 |

|      |     |   |   |      |    |                     |
|------|-----|---|---|------|----|---------------------|
| S103 | 17  | actor same render\$4 same attribute same (element or control or widget or icon or menu or container or box or window or button) and ((user interface) or GUI or xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>19:09 |
| S104 | 1   | (3g lab limited).as.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>19:19 |
| S106 | 16  | (3g labs).as.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>19:22 |
| S107 | 2   | "6055424".pn.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>19:39 |
| S110 | 8   | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML) with (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone))                                  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:00 |
| S111 | 302 | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or (XML User Interface Language)) and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows \$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart \$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:06 |
| S112 | 494 | xml with widget   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:11 |

|      |     |  |   |      |    |                     |
|------|-----|--|---|------|----|---------------------|
| S113 | 84  | S112 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:13 |
| S114 | 133 | S111 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:13 |
| S115 | 52  | S112 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219") and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:13 |
| S117 | 701 | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or XUI or XUL or (XML User Interface))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:17 |
| S118 | 0   | Glade Interface Designer   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:23 |
| S119 | 222 | xml near3 widget   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:23 |
| S120 | 917 | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or XUI or XUL or (XML User Interface) or (xml near3 widget))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:24 |
| S121 | 345 | S120 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219")  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:25 |

|      |     |  |   |      |    |                     |
|------|-----|--|---|------|----|---------------------|
| S122 | 175 | S120 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219") and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:26 |
| S123 | 67  | S122 and (element or control or widget or icon or menu or container or box or window or button) with attribute   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:27 |
| S124 | 43  | S122 and (element or control or widget or icon or menu or container or box or window or button) with attribute and render\$4 and updat\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:28 |
| S125 | 58  | S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propt\$4) and render\$4 and updat\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:28 |
| S126 | 56  | S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propt\$4) and render\$4 and updat\$4 and format\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:29 |
| S127 | 26  | S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propt\$4) and render\$4 and format\$4 and updat\$4 with interface   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:34 |
| S128 | 3   | S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propt\$4) with format\$4 and render\$4 with interface and updat\$4 with interface   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>20:36 |



|      |     |   |   |      |    |                     |
|------|-----|---|---|------|----|---------------------|
| S129 | 3   | S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or proptert\$4) with format\$4 and (render\$4 or generat\$4) with interface and updat\$4 with interface   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>20:40 |
| S130 | 28  | S122 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or proptert\$4) and (render\$4 or generat\$4) and format\$4 and updat\$4 with interface   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>20:41 |
| S132 | 5   | "7472350"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>20:48 |
| S133 | 3   | "20040216054"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>21:08 |
| S134 | 157 | "5905492"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>21:08 |
| S135 | 2   | "5905492".pn.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>21:09 |
| S136 | 2   | "6091411".pn.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | NEAR | ON | 2011/03/25<br>21:09 |
| S137 | 26  | US-20030182139-\$.DID. OR<br>US-20030181242-\$.DID. OR<br>US-20030237043-\$.DID. OR<br>US-6677962-\$.DID. OR US-<br>20040046789-\$.DID. OR US-<br>6731310-\$.DID. OR US-<br>20040100490-\$.DID. OR US-<br>6791581-\$.DID. OR US-<br>20040205091-\$.DID. OR US-<br>20040216054-\$.DID. OR US-<br>20050114774-\$.DID. OR US-<br>20050102626-\$.DID. OR US-<br>20050193368-\$.DID. | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/25<br>21:10 |

|      |      |  |   |      |    |                     |
|------|------|--|---|------|----|---------------------|
| S138 | 2316 | (xui or (xml ui) or (xml user interface) or (User Interface Markup Language) or UIML or XUI or XUL or (XML User Interface) or (xml near3 widget) or (GUI Machine Language) or GML)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:28 |
| S139 | 15   | S138 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propret\$4) with format\$4 and (render\$4 or generat\$4) with interface and updat\$4 with interface   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:30 |
| S140 | 3    | S139 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219") and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:30 |
| S141 | 101  | S138 and (element or control or widget or icon or menu or container or box or window or button) with (attribute or propret\$4) and render\$4 and format\$4 and updat\$4 with interface   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:31 |
| S142 | 29   | S141 and (@pd<"20040219" or @ad<"20040219" or @prad<"20040219" or @rlad<"20040219") and (cell\$5phone or cell\$4phone or ((mobile or cell\$4 or portable or brows\$4) (phone or telephone or device)) or pda or (personal digita assistant) or smart\$1phone or (smart phone)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:31 |
| S143 | 1    | S142 and (element or control or widget or icon or menu or container or box or window or button) with move with interface   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:33 |

|      |    |   |                                     |      |    |                     |
|------|----|---|-------------------------------------|------|----|---------------------|
| S144 | 96 | (US-20080282142-\$ or US-20070266316-\$ or US-20080037452-\$ or US-20070288856-\$ or US-20070300217-\$ or US-20070283280-\$ or US-20030236917-\$ or US-20020078143-\$ or US-20030027592-\$ or US-20030013483-\$ or US-20020196266-\$ or US-20020151327-\$ or US-20020137502-\$ or US-20020109718-\$ or US-20020041292-\$ or US-20080153468-\$ or US-20050277432-\$ or US-20050228871-\$ or US-20050216850-\$ or US-20050108657-\$ or US-20050057560-\$ or US-20040261031-\$ or US-20040075693-\$ or US-20040034853-\$ or US-20030182626-\$ or US-20030158969-\$).did. or (US-20030120667-\$ or US-20030084121-\$ or US-20080026776-\$ or US-20070266141-\$ or US-20050193380-\$ or US-20040148586-\$ or US-20060271845-\$ or US-20040198434-\$ or US-20050096968-\$ or US-20050076305-\$ or US-20020026471-\$ or US-20050021935-\$ or US-20040117439-\$ or US-20040061713-\$ or US-20040046789-\$ or US-20040216054-\$ or US-20050114774-\$ or US-20040100490-\$ or US-20040046787-\$).did. or (US-7441047-\$ or US-6470381-\$ or US-7496645-\$ or US-7480869-\$ or US-7113981-\$ or US-7010758-\$ or US-6993362-\$ or US-6973457-\$ or US-6954652-\$ or US-6850255-\$ or US-6763382-\$ or US-6392640-\$ or US-6300947-\$ or US-7275243-\$ or US-7412658-\$ or US-7636895-\$ or US-7278130-\$ or US-7137100-\$ or US- | US-PGPUB;<br>USPAT; EPO;<br>DERWENT | NEAR | ON | 2011/03/26<br>11:35 |
|------|----|---|-------------------------------------|------|----|---------------------|

|      |    |  |   |      |    |                     |
|------|----|--|---|------|----|---------------------|
|      |    | 6681383-\$ or US-7908595-\$ or US-5481665-\$ or US-7500198-\$ or US-5905492-\$ or US-6091411-\$ or US-7610406-\$ or US-7472350-\$).<br>did. or (US-7219305-\$ or US-6901441-\$ or US-6791587-\$ or US-6717593-\$ or US-6731310-\$).did. or (GB-2293951-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or GB-2393089-\$ or WO-3067465-\$ or WO-2097660-\$).did. or (GB-2411331-\$ or WO-03067427-\$ or WO-02093877-\$ or WO-03067527-\$ or EP-1052598-\$ or EP-1193590-\$ or EP-1369842-\$ or WO-0155889-\$ or WO-0161508-\$ or WO-0195041-\$ or WO-03077140-\$ or DE-19534789-\$ or EP-1569096-\$).did. |   |      |    |                     |
| S145 | 3  | S144 and (element or control or widget or icon or menu or container or box or window or button) with move with (interface or updat\$4)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:36 |
| S146 | 3  | S144 and (element or control or widget or icon or menu or container or box or window or button or attribute) with move with (interface or updat\$4)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:37 |
| S147 | 7  | S144 and (element or control or widget or icon or menu or container or box or window or button or attribute) same move same (interface or updat\$4)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:37 |
| S148 | 6  | S144 and move with (interface or updat\$4)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:41 |
| S149 | 1  | S144 and move with updat\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:41 |
| S150 | 51 | S144 and (element or control or widget or icon or menu or container or box or window or button or attribute or interface) with updat\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>11:44 |

|      |      |  |   |      |    |                     |
|------|------|--|---|------|----|---------------------|
| S151 | 10   | S144 and (position or move or location) with updat\$4  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>12:09 |
| S152 | 12   | S144 and (position or mov\$4 or location) with updat\$4                                      | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/03/26<br>12:13 |
| S153 | 437  | (updat\$4 with user interface).<br>ti.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>13:53 |
| S154 | 0    | S153 and trig and triglet  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>14:07 |
| S156 | 24   | triglet  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>14:07 |
| S158 | 4    | S153 and applet  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>14:21 |
| S160 | 1256 | java near3 micro near3<br>edition  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:16 |
| S161 | 0    | S153 and S160  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:16 |
| S162 | 82   | S160 and (updat\$4 with user<br>interface)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:17 |
| S164 | 36   | S162 and (@pd<"20040219"<br>or @ad<"20040219" or<br>@prad<"20040219" or<br>@rlad<"20040219") | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:19 |

|      |      |   |   |      |    |                     |
|------|------|---|---|------|----|---------------------|
| S165 | 0    | S160 and (separate near3 look near3 feel with business near3 logic)                     | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:21 |
| S166 | 0    | S153 and (separate near3 look near3 feel with business near3 logic)                     | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:21 |
| S167 | 0    | S153 and (look near3 feel with business near3 logic)                                    | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:21 |
| S170 | 3705 | (3-Tier web application) or MVC or (model view controller) or (model-view-controller)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:24 |
| S171 | 1    | S153 and S170   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:24 |
| S172 | 11   | "10007037"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:26 |
| S173 | 254  | S170 and (updat\$4 with user interface)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:29 |
| S174 | 107  | S173 and (applet or (java near3 micro near3 edition))                                   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:29 |
| S175 | 46   | S174 and (@pd< "20040219" or @ad< "20040219" or @prad< "20040219" or @rlad< "20040219") | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | NEAR | ON | 2011/07/14<br>15:30 |

**EAST Search History (I nterference)**

&lt; This search history is empty &gt;

**7/ 15/ 2011 5:49:20 PM****C:\ Documents and Settings\ bsmith3\ My Documents\ EAST\ Workspaces\ 10-598163.wsp**